



*Exceptional wood & multi-fuel stoves
Made on the Isle of Wight since 1972*

charnwood



INTRO

INTRODUCTION	4
WOOD & MULTI-FUEL HEATING	6

STOVES

AIRE	10
SKYE	14
SKYE 5	16
SKYE 7	18
ARC	20
ARC 5	22
ARC 7	24
COVE	26
COVE 1	28
COVE 2	30
COVE 3	32
ISLAND	34
ALL NEW ISLAND I	36
ALL NEW ISLAND II	38
ISLAND III	40
COOKING PLATE	42
BAY	44
BAY VL	46
BAY BX	48
C-SERIES	50
C-FOUR	52
C-FOUR INSERT	54
C-FIVE	56
C-SIX	58
C-SEVEN	60
C-EIGHT	62
COUNTRY	64
COUNTRY 4	66
COUNTRY 6, 8 & 12	68
SLX	70
THE BEMBRIDGE	72
BOILERS	74
COVE 2B	78
ISLAND IIIB	80
COUNTRY 16B	82
SLX 45	84

INNOVATION

FLUE BOILERS	88
CONVERTING GRATE	90
DROP-IN GRATE	90
QUATTROFLOW® SYSTEM	90
CENTRAL HEATING CONTROL SYSTEM	90
HEATSHIELDS	91
EXTERNAL AIR MANIFOLD	91
CHARNWOOD FLUE	91
VERTICAL REAR FLUE ADAPTOR	91
ASH CARRIER	91
TOASTING FORK	91
COLOUR	92
STOVE SELECTOR	92
COMPARISON CHART	93

SPECIFICATIONS

AIRE	96
ARC	96
SKYE	97
BAY	97
THE BEMBRIDGE	98
COVE	98
ISLAND	98
C-SERIES	100
COUNTRY	102
BOILERS	103
SLX	103

OTHER PRODUCTS

VLAZE	106
BODJ FAIR TRADE	108
ANKI CHIMNEY SYSTEMS	109
CHARNWOOD LIVE FIRE	110



FOLLOW @CHARNWOODSTOVES






EXCEPTIONAL BRITISH MADE STOVES

CHARNWOOD is a privately owned family business based on the Isle of Wight. Established in 1972 we have become one of the foremost stove companies in Europe specialising in the manufacture of fine fires and stoves. As a company we believe in taking a strong ethical approach to every area of our business; whether it be in how we design and build our stoves, how we treat our customers or the impact our products have on the environment.

Our stoves are designed and built to last. Even forty five years after building our first stove there are still many of our original models giving good service as they continue to heat peoples' homes. We believe that this is how it should be; an investment in a Charnwood is more than just a short term relationship.

Our company ethos includes buying, where possible, from local UK based suppliers. Our stoves are designed, and built in our own factory here on the Isle of Wight and are manufactured using a combination of high-tech precision machinery and skilled hand working. We have employees who have been with us for over 40 years and have seen the company grow from an operation producing a few hundred stoves a year to one making tens of thousands of units that are sold worldwide. Affirming this achievement we were awarded The Queen's Award For Enterprise: International Trade in 2009.



Part of the success of Charnwood has been due to the loyal following of our customers. We always try to give first class service, to look after our customers and to ensure their needs are met. Whether it is for advice on installation, reassurance on operation or the need for spare parts we always strive to put the customer first. As a family business, with ten family members working in the company, we recognise the need for personal attention to detail and we always seek to give just that.

CLEAN BURN WOOD & MULTI-FUEL HEATING

There is nothing quite the same as heating your home with a real Charnwood fire. Not only does the ritual of loading a stove give a greater sense of achievement and satisfaction, it provides a warmth that no other energy source can equal.

We at Charnwood have unrivalled in-depth knowledge of real-fire heating and continue to invest a great deal of time and money into innovative stove design and development. Our appliances are a result of our intense research and over the years we have been at the forefront of the new generation of clean burning ultra efficient stoves. We are leading the way in Ecodesign Ready stoves in preparation for the new regulations coming into force in 2022. Our stoves are advanced appliances that deliver a reliable burn providing warmth to the whole of your property and all with an amazing degree of control, economy and environmental friendliness. The bodies of our stoves are British built from the best combination of

materials for durability and design aesthetics: plate steel, cast iron, fire brick and ceramic glass. These materials offer the best in strength and versatility with excellent heat retention properties. They also allow the stove to be tightly sealed ensuring optimum control over the burning rate - close down the air supply for a gentle burn or open it right up for an intense, blazing fire. The throat plate on all of our models can be taken out with ease, enabling the cleaning of the flueways and the chimney without the inconvenience of removing other internal fireparts. All our stoves are designed and tested to EN 13240:2001 and EN13229:2001, ensuring the very best in efficiency, safety, design and construction.





SIA ECODESIGN READY The majority of our room heating stoves now incorporate our new *Blu* technology: an ultra clean burn that produces minimal particle and CO emissions.

Blu technology complies with the new Ecodesign criteria which is a new European-wide programme to lower emissions and improve air quality. Ecodesign will become mandatory for all stoves by 2022 and all our *Blu* stoves carry the label *SIA Ecodesign Ready* which are independently verified by The Stove Industry Alliance and HETAS. They are the most environmentally friendly stoves available on the market today and benefit from:

- *Low Particle Emissions: 90% better than open fires,*
- *Between 80-84% better than older stoves*
- *Low CO emissions*
- *High efficiencies*
- *Improved flame picture*

CLEAN-BURN AIR-WASH All the wood-burning and multi-fuel stoves featured in this brochure incorporate the latest clean-burn and air-wash technology. This means when burning your choice of fuel the volatile by-products emitted by the initial burning are re-ignited and burnt again in the fire. This double combustion drastically reduces emissions and ash deposits and delivers even more warmth to your room. Altogether a cleaner home, a cleaner chimney and much cleaner for our environment. In addition to this, the clean-burn airwash also keeps the glass doors beautifully clear, giving you an uninterrupted view of the fire.

10 YEAR GUARANTEE AND OUR NEW 1 YEAR NO-QUIBBLE CONSUMABLES GUARANTEE When purchased through an official, authorised stockist and registered using the code given by them the bodies of our stoves will be covered by a 10 year guarantee (or 3 years in the case of boiler stoves). Additionally new for 2019, we are offering a 1 year no-quibble guarantee for all consumables. This means glass, brick, rope and the parts that traditionally were never covered. For stoves not registered using the code a standard 1 year guarantee is available, which does not include consumables. Visit our website or speak to your stockist for further details and terms and conditions.

VERSATILITY Within the Charnwood range there is a model to suit every home requirement. For the ultimate in contemporary home heating we offer the Aire, the Skye, the Arc, the Cove and the Bay. For a classic interior we offer the Island, the C-Series, the SLX and the Bembridge and for traditional homes we have our Country range of stoves.

ENVIRONMENT Governments across the world are committed to reducing CO₂ emissions and with a Charnwood you too can play a part in this. When you burn wood on a highly efficient stove you reduce the need for other forms of heating and in turn do your bit to save fossil fuels, CO₂ emissions and the planet! A Charnwood stove also gives you the freedom from dependence on the large energy utilities. At a time when there is increasing concern over stability of supply throughout the world it is nice to know that a Charnwood gives, in a most beautiful way, that certainty of warmth during periods of interrupted supply.

STOVES

WOOD AND MULTI-FUEL

unrivalled and uncompromised



charnwood AIRE

A mesmerising flame pattern with a crystal clear burn

The New Charnwood Aire is our latest development. Designed with a very large view of the fire we have also incorporated new and improved burn technology that not only meets and goes beyond the new 2022 Ecodesign standards and Clean Air Act requirements but delivers one of our most impressive flame pictures.

The Aire boasts an output of 5kW and is available as a low or store stand model in a choice of eight colours.

New firebrick and air technology produces a mesmerising flame pattern.

One of our largest ever views of the fire

Sliding firebed for clean and easy ash removal

Beautifully simple to operate with one single air control using the patented Quattroflow® air management system.



The Aire has been independently certified to conform to EN 13240:2001 and meets the UK building requirements for installation with a 12mm non-combustible hearth.





aire

The Charnwood Aire delivers a comfortable 2-5kW of heat to the room with a crystal clear burn and remarkable controllability. Deliberately designed to maximise the view of the fire the minimal styling of the Aire fits comfortably into virtually any fireside situation whether it be freestanding or within a traditional fireplace.



charnwood SKYE

Refreshingly simple to use with an exceptional clean burn

The Charnwood Skye is a state-of-the-art stove with a remarkably efficient combustion system. It's innovative burn technology ensures efficiencies of up to 86% and is a vast improvement on the new Ecodesign standards and Clean Air Act requirements; allowing wood to be burnt cleanly in smoke control areas. As thoughtful in style as it is in function the Skye has a refreshing design aesthetic – it is classically minimal with landscape proportions and a soft modern edge.

The Skye is available in two sizes: a 5kW and 7kW both in a choice of eight colours and in two stand variations: low or with a store stand.

The Skye's clean design features a seamless flue connection and convection panels to reduce distances to combustible materials; allowing installation into tight spaces.

Flexible fuel choice with an adjustable converting grate for wood and smokeless fuels.

Simple to operate with one single air control using the patented Quattroflow® air management system.



The Skye has been independently certified to conform to EN 13240:2001 and meets the UK building requirements for installation with a 12mm non-combustible hearth.





skye 5

The Charnwood Skye 5 is our most efficient wood burning and multi-fuel stove to date. With a rated output of 5kW it delivers a comfortable 2-5kW of heat to the room with an exceptional clean burn. The simple, modern styling of the Skye ensures it looks equally as good in a freestanding situation as it does in a fireplace.





skye 7

The Charnwood Skye 7 adds an air of contemporary grandeur to any open plan area or room of larger proportions. With a rated output of 7kW it will produce between 5-11kW of heat with a generous view of the fire.



charnwood ARC

The stove of a new generation: clean, green and fuel efficient

The Charnwood Arc is a revolutionary multi-fuel stove. It simplifies the process of burning wood and smokeless fuels setting the bench mark for a new generation of modern, clean-burning stoves.

Engineered from the very best combination of materials the Arc utilises years of research and development into low emission burning.

Beneath the Arc's clean, modern lines lies an innovative new combustion system that ensures the stove burns exceptionally clean with outstanding efficiencies of over 80%. So much so the Arc is SIA Ecodesign Ready and meets the Clean Air Act requirements.

The Arc is available in two sizes: a 5kW and 7kW both in a choice of eight colours and in two stand variations: low or with a store stand.



The Arc has been independently certified to conform to EN 13240:2001 and meets the UK building requirements for installation with a 12mm non-combustible hearth.



Convection panels reduce rear distance to combustibles to 80mm allowing installation into tight spaces.

Flexible fuel choice with our adjustable converting grate for wood and multi-fuel.

Simple to use with single air control, our patented Quattroflow® air management system and integrated external air connection.

Optional drawer



arc 5

The Charnwood Arc 5 produces between 2-7kW of heat with a rated output of 5kW. Operated by one single air control the combustion system drastically reduces emissions and gives a superior flame pattern. The Arc's pared down simplicity makes for a thoroughly stylish option for modern urban settings as well as more traditional homes.





arc 7

The Charnwood Arc 7 delivers an output of 7kW and is particularly suited to larger rooms or open plan areas. It is a true multi-fuel stove with exceptional clean burn technology. The Arc 7's contemporary design features an inverted flue collar for a seamless flue connection.





charnwood COVE

Optimum performance with a soft, contemporary aesthetic

The Cove collection is one of Charnwood's most revered range of multi-fuel burning stoves: a union of the very best features of our past and present stoves finished with a soft contemporary edge. One single, curved door offers a breathtaking view of the fire whilst its highly advanced combustion system ensures optimum efficiency and an exceptionally clean burn - more heat from less fuel.

Whilst the Cove is sophisticated in design, it is incredibly simple to operate. One multi-functional tool is used to open the door, de-ash and empty. It features Charnwood's un-rivalled multi-fuel converting grate, advanced clean

burn technology and the patented Quattroflow® air management system. An optional external air kit is also available enabling an outside air supply to be channelled directly into the stove through the rear of the Quattroflow® box. The Cove stove is available in three sizes with a choice of five base options and eight Charnwood Colours. Optional convection panels are also available for each of the stoves. These gently convect heat into the room and reduce the side distances to combustibles to 250mm. The Cove 2 and Cove 3 are also available as Blu versions which are SIA Ecodesign Ready.

CE All Cove stoves have been independently certified to conform to EN 13240:2001 and meet the UK building requirements for installation with a 12mm non-combustible hearth.






Optional side convection panels & rear heat shield




Three outputs



Five base options



Converting grate



Quattroflow® air management system



COVE 1

The Cove 1 is the smallest stove in the Cove family. With simple clean lines and a single door the Cove 1 is ideal for the smaller room. It features our fully controllable Quattroflow® air management system providing between 2 and 6kW of heat with superb efficiency. With a rated output of 4kW the Cove 1, in certain situations, can be installed without the need for external air. The colour, base options and convection panels make this a very versatile stove setting new standards in the small stove arena.

The Cove 1sr is a separate smoke reduction model that meets Clean Air Act requirements making it exempted for burning wood in smoke control areas.



Opposite: Almond Cove 1 with store stand, above L-R: Cove 1 shown with optional convection panels; with low stand, low arch, midi stand, store stand & centre stand.



COVE 2

With its gentle curved door and soft lines the Charnwood Cove 2 creates a powerful focal point for any room. This stove meets Clean Air Act requirements and delivers a respectable 8kW of heat with a maximum output of 11kW. The base options (as pictured opposite) give the stove five very different looks. The low stand and low arch are perfect for fitting the appliance into a standard fireplace opening whilst the store stand and centre stand are ideal for a large inglenook or a freestanding situation. Optional convection panels are also available.



If burning solid fuel we also offer a non-Blu model with a multi-fuel grate.



COVE 3

The Charnwood Cove 3 is the largest stove in the Cove range. With a rated output of 12kW and a maximum of 16kW it is ideally suited to a larger room, hall or open plan area. The Cove 3 is able to take a log length of up to half a metre and with its tall curved door offers a spectacular view of the fire. Once again it comes with a versatile choice of five base options, convection panels and eight colour ways to suit different situations.



If burning solid fuel we also offer a non-Blu model with a multi-fuel grate.





charnwood ISLAND

The definitive multi-fuel stove: now updated

The Charnwood Island range sets the definitive standard for clean-burning multi-fuel stoves. When this collection was first launched it revolutionised multi-fuel home heating creating the benchmark in environmentally clean-burn, single controlled stoves. The result is highly sophisticated simplicity.

We have recently updated the Island I and Island II with Blu burning technology and a larger picture window. They now both fully conform to SIA Ecodesign Ready along with the Island III Blu.

The Island range is available in three sizes, with low leg, high leg or store stand options and in a choice of eight Charnwood Colours.





*The ultimate converting grate for burning
your chosen fuel at optimum efficiency*

*A 'cool to touch' handle for safe and easy
reloading.*

*One simple air control - the Quattroflow® -
push in to burn slower; pull out to burn faster.*



All Island stoves have been independently certified to conform to EN 13240:2001 and meet the UK building requirements for installation with a 12mm non-combustible hearth.

ISLAND I

The All New Island I is the smallest stove in the Island collection. Its uncomplicated looks and gentle curves ensure it sits well in any situation; be it modern or traditional. Delivering an output of 2-7kW of heat it can take a log length of up to 370mm (14.5"). With a rated output of 5kW the All New Island I, in certain situations, can be installed without the need for external air. This stove meets Clean Air Act requirements and boasts an efficiency of over 85% and an extremely low smoke particle level of 9mg/m³ (the Ecodesign limit is 40mg/m³).





ISLAND II

The All New Island II is the middle stove in the Island collection. With a larger view of the fire it still retains its clean-line proportions while producing a rated 8kW of heat to the room. This stove meets Clean Air Act requirements and burns with an efficiency of over 82% with extremely low smoke particle level of 14mg/m³ (the Ecodesign limit is 40mg/m³).





ISLAND III

The Charnwood Island III is the largest stove in the Island collection. Its majestic proportions make it ideal for larger rooms and open plan areas. Exuding a rated 12kW of heat, this is a stove that can take an incredible log length of over half a metre. The Island III offers a spectacular view of the fire. A true wide-screen experience. Optional convection panels are also available.



If burning solid fuel we also offer a non-Blu model with a multi-fuel grate

which may burn wood logs in smoke control areas if fitted with a smoke reduction kit.







COOKING PLATE

Following on from the success of our Island IIct cook top stove we present our new Charnwood Cooking Plate.

The cast iron plate incorporates conduction fins on the underside and simply replaces the blanking plate on a standard Charnwood stove to create a highly effective hot plate for cooking.

The Cooking Plate is ideal for stoves installed into open-plan living areas where the boundaries of cooking, dining and lounging are merged.

The set includes four cast iron trivets for versatility when cooking and the plate is available in two sizes: 5 or 6 inch outlet diameters to suit most Charnwood models in addition to the Island II.

Please note: the stove will need to be installed using the rear outlet to allow the cooking plate to be fitted on the stove top.



charnwood BAY

A modern insert or freestanding fire with innovative clean burn technology

The Bay is an award winning wood burning stove from Charnwood. The stove features a large landscape window. Delivering 5kW of heat to the room the Bay features our Blu burn technology and is incredibly simple to operate with one single air control and a cool-to-touch handle.

The Bay is available as a clean lined insert stove, the Bay VL, or a freestanding version, the Bay BX. This can either be placed directly on the hearth or on a choice of optional stands.





Built from the best combination of cast iron, plate steel and ceramic glass the Bay is brick lined and is designed for easy installation.

Cool-to-touch handle and air controls for safe operation and re-fuelling.



The Bay VL has been independently certified to conform to EN 13229:2001
The Bay BX is certified to conform to EN 13240:2001





BAY VL

The Bay VL is a contemporary insert stove featuring a large landscape window framed with a clean, sharp edged surround. It meets the Clean Air Act requirements for burning wood in smoke control areas. The stove boasts a variable output of between 2 and 7kW and is available in a choice of eight colours.



BAY BX

The Bay BX is the latest addition to the Bay range. The firebox and frame of the stove is the same as the Bay VL but features an outer casing transforming the appliance into a freestanding stove. The Bay BX can be installed directly onto a hearth or we offer a choice of three base options to raise the stove up: bench stand, centre stand or store stand. Both the stove and base options are available in eight colours.







charnwood C-SERIES

Quintessential Charnwood: Classic design with impressive performance

The C-Series is a range of classically styled wood burning stoves that feature one single air control and an integrated inlet for ducting external air to improve performance and efficiency.

The C-Series stoves deliver an exceptionally clean burn with outstanding efficiency and all models meet Clean Air Act requirements; allowing wood to be burnt in smoke control areas.

The C-Series Blu models are SIA Ecodesign Ready and a vast improvement on the regulation. We do also offer a non-Blu version that can be fitted with a drop-in grate for burning solid fuel. All models are available with an optional store stand or high legs to raise the stove off the ground. A rear heat shield is also available enabling the stove to be placed closer to the wall.

In addition to this range we also offer the C-Four Insert designed to fit neatly into a standard fireplace.



All C-Series stoves have been independently certified to conform to EN 13240:2001 (EN 13229:2001 for the C-Four Insert) and meet the UK building requirements for installation with a 12mm non-combustible hearth.

C-FOUR

Featuring a large picture window the C-Four is the smallest model in the C-Series delivering a heat output to the room of between 2 to 5.5kW. The stove is fire brick lined and can take a log length of up to 282mm (11"). With a rated output of 4.9kW the C-Four, in certain situations, can be installed without the need for external air. This stove meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.





C-FOUR INSERT

Based on the free standing C-Four this stove is designed to fit into a standard fireplace. Featuring a single air control and an integrated outlet for ducting external air the C-Four Insert burns exceptionally clean with outstanding efficiency. This stove is SIA Ecodesign Ready when burning either wood or solid fuels and features our renowned converting grate for efficient multi fuel burning. The C-Four Insert also meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.







C-FIVE

The C-Five has a similar output to the C-Four but it is built with landscape proportions to take a slightly longer log length; 351mm (14"). The stove is fire brick lined and in certain situations, can be installed without the need for external air due to its rated output of 5kW. This stove meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.



*Opposite: Almond C-Five with store stand.
Above, L-R: C-Five, with store stand, with high legs, optional drop-in grate.*

C-SIX

The C-Six is a 5.9kW stove delivering between 5 and 7kW of heat to the room. The stove is fire brick lined and can take a log length of up to 307mm (12"). This stove meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.





C-SEVEN

The C-Seven, like the C-Five, is built with a wide picture window and landscape proportions to take a longer log length; 430mm (17"). The stove has a rated output of 7.1kW and is fire brick lined. This stove meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.







C-EIGHT

The C-Eight is the largest stove in the C-Series. With an 8kW output the stove features an impressive portrait picture window and takes a 366mm (14") log. With majestic proportions the C-Eight is suited to larger fireplaces and living spaces. This stove meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.



*Opposite: Gunmetal C-Eight with store stand, Bodj Lotus log holder
Above, L-R: C-Eight, with store stand, with high legs, optional drop-in grate.*



charnwood COUNTRY

A traditional, time-honoured collection

The Charnwood Country collection is our well established range of traditional wood and multi-fuel burning appliances.

Our Country stoves have acquired an excellent reputation over the years having been installed in tens of thousands of homes across the globe. The distinct double angled doors, of the larger Country models has established this range as a true classic while the single door Country 4 has gained an almost cult following. We have also recently launched a *Blu*, wood burning version of the Country 4 that is SIA Ecodesign Ready.

As with all the stoves in this brochure the Country range incorporates superb clean-burn technology for efficient and eco-friendly home heating. There is a stove in this

range for virtually every home heating requirement; from a small room heating stove to a full central heating boiler model.



The Country collection is essentially a range of wood-burning stoves (with the exception of the boiler models which are true multi-fuel stoves). However we do offer an optional reciprocating grate. This is an easily fitted, drop in system that converts a Country wood-burner into a multi-fuel stove should you wish to burn smokeless fuels (excluding the new Country 4 *Blu* which is for wood burning only). When installed, solid fuel will burn more efficiently by allowing the air to flow under the fire bed. Its neat, external riddling action and ash pan ensure easy cleaning and keeps mess to a minimum.



All Country dry stoves have been independently certified to conform to EN 13240:2001

Above: Country 6 cutaway showing clean-burn airflow

country 4

The Country 4 is the smallest model in the Country collection, yet still incorporates the ingenious features of the larger stoves. It is a neat, sturdy, yet graceful little fire and with a rated output of 5kW can be installed in certain situations, without the need for external air. The single door gives a complete and clear view of the fire and features a spinning primary air wheel for optimum control over the burning rate. In spite of its size, the Country 4 takes a decent sized log length of 332mm (13") making it a very popular choice in the small stove market. The stove is available in a choice of eight Charnwood colours and finished with touches of solid brass and a turned wooden door handle. The Country 4 *Blu* meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in smoke control areas.



If burning solid fuel we also offer a non-Blu model with a drop-in grate.





country 6

The Country 6 produces a stunning 6kW of heat. Being the next step up within the Country collection it features large, twin angled doors to optimise the view of the fire. The Country 6 has a robust construction featuring a brick lined fire box with the ability to burn 420mm (16.5") logs. The detachable tool handle that operates the doors ensures maximum safety. For multi-fuel burning it has the option of a reciprocating grate and a small back-boiler to provide domestic hot water or to heat around two radiators. This model also comes with the option of a clip-on shelf as well as a slide-on canopy for a very different look altogether. Yet again the stove is finished with touches of solid brass and is available in a choice of eight shades of colour.



country 8

The Country 8 has always been a very popular choice of stove, delivering around 8kW of heat to the room. Once again it has large twin doors and comes complete with a fixed front shelf. All the standard features apply: air wash, clean burn technology and brick firebox lining, as well as an optional canopy to transform its looks, riddling grate, back-boiler and choice of colours. This is an exceptional stove and, as many existing customers will tell you, an excellent investment to the home. Come back to embracing warmth.



country 12

The Country 12 is the largest in our Country roomheater range. With a rated output of 12kW it is well suited to a larger room or an open plan area. It blazes with superb, clean-burn, efficiency coupled with minimum mess, leaving your home thoroughly warmed. It takes a large log size of up to 470mm (18.5"). The options of a slide-on canopy, back-boiler, drop-in riddling grate and choice of colours all apply. As with all the stoves in the Country range the 12 is built from a substantial combination of the best materials and enhanced with touches of solid brass.



Opposite: Black Country 8. Top row L-R: Country 6, with optional shelf, with optional canopy, optional drop-in grate. Middle row L-R: Country 8, with optional canopy, optional drop-in grate. Bottom row L-R: Country 12, with optional canopy, optional drop-in grate



charnwood SLX

Succinct style with superb performance

The Charnwood SLX 20 is a multi-fuel stove with a more contemporary feel and sophisticated operation. It simplifies the real fire process: burning less fuel, more cleanly with maximum efficiency and low emissions all this whilst retaining a simple, classic look.

The SLX 20 has been carefully designed to get the very best out of the fuel that is burnt. This can be wood, smokeless fuel or briquettes. All these fuels can be burnt at optimum efficiency, on the well-proven Charnwood converting grate. This is the same grate used in our Country 16b and all Skye, Arc, Cove and Island models:

the best grate system on the market. Simple, clean and highly effective. The cast iron and plate steel exterior is finished in a durable matt stove paint (pictured opposite in almond but also available in seven other colours).



The SLX 20 is purely for room heating delivering up to 5.4kW of heat. It is fully controllable with a built in thermostat to regulate the heat output to the room. Both the inset and freestanding models come with the option of a small add-in-boiler to heat the domestic hot water.



Opposite: SLX20fs almond
Above L-R SLX20fs, SLX20i, multi-fuel converting grate



COUNTRY LIVING

The Bembridge

WOOD BURNING STOVE FROM CHARNWOOD

The Country Living Bembridge is an innovative wood burning stove made exclusively in partnership with Country Living magazine.

Featuring a removable door handle, one single air control and an integrated inlet for ducting external air, The Bembridge burns exceptionally clean with outstanding efficiency.

The Bembridge meets Clean Air Act requirements for smoke control exemption; allowing wood to be burnt in

smoke control areas. The Bembridge also incorporates our latest *Blu* technology making it SIA Ecodesign Ready.

The stove is available in a choice of five colours including two colours exclusive to Country Living: Soft Green and French Grey.

Other options include a store stand and high legs to raise the stove off the hearth, and a drop-in grate to assist with ash removal.



*Opposite: The Bembridge in almond with store stand.
Above L-R: Gunmetal, Almond, Soft Green, French Grey, Black
Optional store stand, optional high legs, optional drop-in grate.*



BOILERS

THE HEART OF THE HOME

'real fired' central heating systems



charnwood BOILERS

Real fired central heating systems with numerous benefits

CHARNWOOD'S range of boiler stoves are designed specifically for those wishing to run a full central heating system. The benefits of a 'real fired' central heating system as opposed to gas, electric or oil are numerous: the constant heat source, elimination of condensation and the continual air changes caused by a 'breathing' heating appliance, are far more beneficial to health and well-being than its counterparts. The high efficiency of these Charnwood boilers also offers significant environmental benefits; producing less CO_2 emissions than an equivalent gas or oil boiler. As with all our wood and multi-fuel

burning models we incorporate an airwash system which will ensure superb clean-burning and a clear view of the fire at all times regardless of what fuels are burnt. The Cove 2B, Island IIIb, Country 16b and SLX stoves also feature our unrivalled riddling grate as standard to allow easy removal of ash. The grate can also be opened slightly to increase burning rate when required. The reputation of our boiler models is unrivalled in the market place and we are widely considered to be the clear market leaders in this field.



BOILER SIZING Our boiler stoves conform to the EN13240 standard and we publish these results in the relevant guides. When choosing a boiler stove it is important to find the correct stove for your system and to compare each stove on the same basis. These are some of the factors you should take into account:



STOVE OUTPUT: This is measured in terms of kW output to the boiler and kW output to the room. The outputs quoted are those of the EN13240 test. In the home situation these outputs and the split will be dependant on a number of factors such as:

Fuel used - wood generally shows a higher ratio of heat to room (you can see the flame when the fire is turned up therefore more radiant heat is emitted). There are also variations in different types of solid fuel – we generally test on anthracite.

State of the fire - in slumber mode there will be a higher heat to the boiler and less to the room. Over time the outputs also vary (see example graphs below).

Reloading time - our tests are carried out using reloading times of 1½ hours for wood and 4 hours for solid fuel. If you load more often you will get a higher output, less often will give you a lower output. In reality when your system is cold your loading interval will be shorter. Once the system is up to temperature you will load at much longer intervals as you are just ‘topping’ the system up.

NUMBER OF RADIATORS: This is a very rough guide. For solid fuel we assume 3kW for hot water and around 1kW for each radiator. For wood burning we calculate this differently as the burning profile (see graph) is different. **It is very important that you ask your heating engineer to determine the correct size** – for example in some calculations the Country 16b can be said to heat up to 17 radiators. As you can see, unlike a gas or oil boiler a solid fuel boiler has a lot of different variables which affect its heat output. Therefore when choosing a boiler it is important to consider how the outputs are arrived at. In the UK the HETAS guide allows you to compare heat outputs and refuelling times on tested products. For details on these visit www.hetas.co.uk



COVE 2B

The Cove 2B is the latest addition to Charnwood's unrivalled range of biomass and multi-fuel boiler stoves. Based on our contemporary Cove stove the Cove 2B incorporates a thermostatically controlled integral boiler sufficient to power up to 7 radiators plus domestic hot water. The stove features Charnwood's clean burn air wash system and renowned converting grate for optimum fuel flexibility and easy ash removal.

CE *The Cove 2B has been independently certified to conform to EN 13240:2001 and meets the UK building requirements for installation with a 12mm non-combustible hearth.*







ISLAND IIIb

The Island IIIb wood burning boiler stove is the ultimate in biomass heating. Equipped with the renowned Charnwood converting grate (page 92) for easy ash removal and fully boiler sensitive thermostatically controlled the Island IIIb combines leading edge boiler technology with its exceptional aesthetic design. As an integral boiler stove it is optimised to heat between 6 and 9 radiators plus hot water ensuring exceptional performance. It has a total output of 18kW and also features the 'cool to touch' handle and has the ability to burn logs up to 614mm.



The Island IIIb has been independently certified to conform to EN 13240:2001 and meets the UK building requirements for installation with a 12mm non-combustible hearth.





country 16b woodburner

THE COUNTRY 16b Woodburner is a fully fledged biomass central heating boiler. The total output is 15.9kW; 8.6kW to the water and 2-8kW to the room. This model will run around 7 radiators and supply all domestic hot water. It features the riddling grate to ensure easy ash removal and Charnwood's standard clean burn technology for ultra efficient burning. This model also features a water-temperature-sensitive thermostatic control which enables this stove to be used alongside sophisticated central heating controls. An optional canopy is also available.



country 16b multi-fuel

THE COUNTRY 16b Multi-fuel delivers heat suitable for heating domestic hot water plus around 10 radiators. It has a total output of 19.6kW providing 13.2kW to the water and 2-8kW to the room. Once again it is thermostatically controlled with a multi-fuel riddling grate allowing wood and mineral fuels to be burnt. Its deep fire bed allows solid fuel to be loaded up for excellent overnight burning performance. Despite burning solid fuels this boiler model can still offer significant environmental benefits. For example where a 50/50 mixture of wood and coal is burned the net CO₂ emissions can be reduced to less than an equivalent gas, electric or oil boiler.* Increase the percentage of wood and the savings are even greater.



CE The Country 16b wood burning and multi-fuel models have been independently certified to conform to EN 13240:2001 and meet the UK building requirements for installation with a 12mm non-combustible hearth.

* Taken from 'Multi-fuel Heating & The White Paper' copies available online at www.charnwood.com.



SLX 45

The SLX 45 has identical looks and features to that of the SLX20, but features a thermostatically controlled, integral boiler that delivers a heat output sufficient to power 8-9 radiators and ample hot water. Because it is fitted with a water temperature sensitive thermostat, heating controls can be fitted, to give heat precisely when and where it is needed.

Once again it is available as an inset or freestanding appliance with a choice of eight colour options.



A black dog, possibly a Labrador Retriever, is sitting on a dirt floor in a rustic, barn-like setting. The dog is looking towards the right side of the frame. In the background, there is a wooden wall and a blue-painted wooden cart filled with logs. The dog is wearing a red collar with a gold ring.

INNOVATION


SMART STOVE SOLUTIONS

refining the wood burning process



FLUE BOILER

The flue boiler is one of Charnwood's latest home heating innovations. This revolutionary stove addition replaces the first few feet of the standard flue rising from the top of the stove and utilises the excess heat from the appliance that would otherwise be lost. In addition to this because the boiler is external the stove maintains its high clean-burn combustion efficiency. Depending on the size of stove and subsequent flue boiler, outputs of between 1.8 and 3.4 kW can be achieved with minimal effect on the nominal output of the stove. This can provide sufficient heat for domestic hot water and up to 3 radiators. The flue boiler comes in 3 sizes to fit all Aire, Arc 5, Cove, Island, C-Series, Bembridge and Country dry models.



125mm (5")

1.8kW nominal output

Heating capacity:
DHW or 2 rads

Suitable for:
Arc 5
Cove 1
C-Four, Five
Bembridge
Country 4




150mm (6")

2.4kW nominal output

Heating capacity:
DHW + 1 rad

Suitable for:
Aire
Cove 2
Island I, II
C-Six, Seven, Eight
Country 6,8,12



178mm (7")

3.4kW nominal output

Heating capacity:
DHW + 3 rads

Suitable for:
Cove 3
Island III



CONVERTING GRATE

The Charnwood multi-fuel converting grate is the very best grate system on the market. Built into all Skye, Arc, Cove, Island, SLX, C-Four Insert and Country 16b models, the grate can be altered to ensure the most efficient burning conditions. By operating a lever on the side of the stove, with the tool provided, a series of grate bars can be set into a closed, flat bed position (the most efficient way to burn wood) or to an open grate for ultra efficient burning of smokeless fuels. This grate also acts as a highly effective riddling mechanism, neatly dropping the ash into the wall-to-wall pan below for clean disposal. Because the grate is operated externally all of these manoeuvres can be carried out with the doors closed and when the stove is fully loaded and under fire.

CLOSED POSITION for wood & peat - allowing a bed of ash to build up to let the air flow across the fire.



OPEN POSITION for smokeless fuels - allowing the air to flow up through the fuel. In this position the open bars facilitate easy ash removal whether burning wood or solid fuel products.



Please note: the converting grate is also built into the Island III blu and Cove 2 blu but is designed for ash removal only and not multi fuel burning.

DROP-IN GRATE



The Charnwood drop-in reciprocating grate is designed to assist with ash removal when burning wood in all Blu models.

The drop-in grate can also be fitted to non-Blu models for burning solid fuel. When installed, solid fuel will burn more efficiently by allowing the air to flow under the fire bed. Its neat, external riddling action and ash pan ensure easy cleaning and keep mess to a minimum.

QUATTROFLOW® AIR MANAGEMENT SYSTEM

This is a revolutionary air management system patented by Charnwood and used on the Aire, Skye, Arc, Cove, Island, Bay, Bembridge and C-Series models. Using a number of air chambers the single control introduces the right amount of air into just the right places for ultra efficient burning and optimum control: pull out to increase the burning rate - push in to slow it down. An outside air supply can be channelled directly into the stove through the rear of the Quattroflow® box.

1 PRIMARY air vent: the main control for faster/slower burning

2 SECONDARY air vent for clean glass and double combustion

3 TERTIARY air vent for optimum combustion efficiency



CENTRAL HEATING CONTROL SYSTEM



The Charnwood central heating control system is a pre-wired kit suitable for use with all central heating cookers and boilers with a water temperature sensing thermostat. The system gives a fully automatic timed control with built in safety features for your central heating system and can result in significant fuel savings. A high-level pipe thermostat prevents the system boiling by bringing on the pump if the pre-set temperature is reached. The low-limit thermostat cuts out the pump if the water temperature in the boiler falls below the pre-set limit thus cutting down boiler condensation and increasing its life span. The system is completely pre-wired (with exception of the pump cable) comprising of a digital timer, two pipe thermostats, a convenient wiring centre, a cable for the pump and a 13amp plug.

HEAT SHIELDS AND CONVECTION PANELS

Charnwood's rear heat shields and convection panels are designed specifically for situations where space within the fireplace is limited. The steel heat shield allows minimum

rear wall clearances to be reduced. The heat shield is available in a number of sizes for all Aire, Cove, Island, C-Series, Bembridge and Country dry models. Speak to your local stockist or visit www.charnwood.com for further details.



VERTICAL REAR FLUE ADAPTOR

A vertical rear flue adaptor is available for all Aire, Skye, Arc, Island, Cove, C-Series, Bembridge and Country models. This enables you to position the stove further out

into the room: away from the wall behind. This will add a depth to the stove of between 115 -196mm depending on the model. Speak to your local stockist or visit www.charnwood.com for further details.



EXTERNAL AIR KITS

The external air kits are a range of devices that enable an outside air supply to be channelled directly into your Charnwood stove.

As well as providing further comfort and operational efficiency for your stove our air kits help overcome issues where the room requires an additional air supply. They are available for all Aire, Skye, Arc, Bay, Cove, Island, C-Series and Bembridge dry models.



ASH CARRIERS

For clean, safe and effective disposal of ash, an optional ash-carrier is available for all our Aire, Skye, Arc, Cove, Island, C-Series, Bembridge, Country and SLX models.



CHARNWOOD FLUE

We now offer a wide range of stove flue pipe pieces designed to complement our stove ranges.

British made from 1mm 316 high quality stainless steel the range includes bends and adjustable lengths.

It is available in 5" (125mm), 6" (150mm) and 7" (178mm) diameters and in our full range of eight Charnwood colours.



TOASTING FORK

The perfect gift for any stove fanatic.

The Charnwood Toasting Fork is a neat, highly effective stove accessory designed for use on all our models.

Simply place the magnetic holder onto the stove top and suspend the fork in front of the glass for perfectly toasted bread, muffins or crumpets. The fork and holder is British made from stainless steel with a turned beech handle.



charnwood COLOUR

In addition to the standard Charnwood matt black, we also offer you a choice of seven other shades. It is a simple yet brilliant way to give the heart of your home a new lease of life. Either order your stove in the colour of your choice or purchase one of our paint kits to re-spray the stove yourself whenever you feel like a change.




Charnwood Colour is a specially developed, high temperature stove paint formulated for an easy application. It is suitable for the following stoves in the Charnwood range: Aire, Skye, Arc, Cove, Island, Bay, C-Series, Country, SLX. The Bembridge is available in Black, Almond and Gunmetal and two exclusive Country Living colours.

Please note: we have reproduced the colours as faithfully as print will allow therefore the pictures should not be taken as an exact indication of colour.

CHOOSING YOUR charnwood

When choosing your stove it is important to pick the right size stove for your room by taking into account the RATED OUTPUT: This is the kilowatt output achieved in the European standard tests (EN 13240 and EN13229). Use the chart below or our simple calculator on our website as an initial guide in selecting the most suitable Charnwood stove for your room (dry stoves only). It is based on an outside temperature of -1°C and a room height of 2.4 metres.

PLEASE NOTE: This is an approximate guide only. Your Charnwood Premier Dealer will be able to advise further.



charnwood COMPARISON CHART

	STOVE MODEL																							
	AIRE	SKYE 5	SKYE 7	ARC 5	ARC 7	THE BEMBRIDGE*	BAY BX	BAY VL	COVE 1	COVE 2 Blu*	COVE 3 Blu*	ALL NEW ISLAND I	ALL NEW ISLAND II	ISLAND III Blu*	C-FOUR Blu*	C-FOUR INSERT	C-FIVE Blu*	C-SIX Blu*	C-SEVEN Blu*	C-EIGHT Blu*	COUNTRY 4	COUNTRY 4 Blu	COUNTRY 6	COUNTRY 8
	SLX 20	BOILERS				COVE 2B	ISLAND IIIB	COUNTRY 16B WB	SLX 45															
Converting grate																								
Drop-in grate																								
Quattroflow® / Single control																								
Convection panels																								
Vertical rear flue adaptor																								
Heat shield																								
External air kit																								
Riddling grate & ash tray																								
Stand / Leg options																								
Stay cool handle																								
Removable handle																								
Thermostat control																								
Firebrick lining																								
Fire plate lining																								
Drop-down throat plate																								
Back boiler																								
Flue boiler																								
Front shelf																								
Canopy																								
Double doors																								
Blu (SIA Ecodesign Ready)																								
Clean Air Act Requirements																								
(EPC) Energy Efficiency Rating	A+	A+	A+	A+	A+	A+	A+	A+	A	A	A	A+	A+	A	A	A+	A	A+	A	A	A	A+	A	A
Nominal output to room (kW)	5	5	7.3	5	7	5	5	5	4	8	12	5	8	12	4.9	5	5	5.9	7.1	8	4.8	5	6	8
Nominal output to boiler (kW)																								

 Standard  Optional

* Please note: the Converting and Drop-in grates used in the Blu versions of these models are for woodburning ONLY to assist with ash removal.

A rustic outdoor scene featuring a wood-burning stove with a fire, a hanging lantern, and a long dress. The stove is a light grey color with a glass door showing a bright orange and yellow fire. A tall, silver metal chimney pipe extends from the stove to the roof. A long, brown, flowing dress hangs from a wooden post. A lantern with a glass globe and a metal frame hangs from a wooden beam. The background shows a wooden structure with a corrugated metal roof and a pile of logs. The ground is covered with rocks and logs.

SPECIFICATIONS

FIRES, FACTS AND FIGURES

the ins and outs of our stoves



AIRE

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

84%

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH

300mm (12")


WEIGHT

117KG Low, **132KG** Store Stand

MIN DISTANCE TO COMBUSTIBLES WITH INSULATED FLUE

Side: **350mm** Rear: **350mm**

With heatshield* - Side: **350mm** Rear: **100mm**



ARC 5

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

81% Wood, 82% Solid Fuel

FLUE OUTLET

Top or Rear **125mm (5")** dia.

MAX LOG LENGTH

285mm (11.5")


WEIGHT

130KG Low, **150KG** Store Stand

MIN DISTANCE TO COMBUSTIBLES

Side: **300mm** Rear: **200mm**

With insulated flue: Side: **270mm** Rear: **80mm**



ARC 7

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

7kW to room (range **5-11kW**)

NET EFFICIENCY

81% Wood, 79% Solid Fuel

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH


325mm (12.5")

WEIGHT

150KG Low, **170KG** Store Stand

MIN DISTANCE TO COMBUSTIBLES WITH INSULATED FLUE

Side: **270mm** Rear: **150mm**



SKYE 5

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

86% Wood, 82% Solid Fuel

FLUE OUTLET

Top or Rear **125mm (5")** dia.

MAX LOG LENGTH

350mm (13.5")


WEIGHT

135KG Low, **155KG** Store Stand

MIN DISTANCE TO COMBUSTIBLES WITH INSULATED FLUE

Side: **300mm** Rear: **270mm**

With insulated flue: Side: **200mm** Rear: **90mm**



SKYE 7

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

7kW to room (range **5-11kW**)

NET EFFICIENCY

80% Wood, 81% Solid Fuel

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH

410mm (16")


WEIGHT

157KG Low, **177KG** Store Stand

MIN DISTANCE TO COMBUSTIBLES WITH INSULATED FLUE

Side: **350mm** Rear: **350mm**

With heatshield* - Side: **350mm** Rear: **100mm**



BAY VL

This model is SIA Ecodesign Ready (Blu).

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

81%

FLUE OUTLET

Top only **150mm (6")** dia.

MAX LOG LENGTH

463mm (18")


WEIGHT

94.3KG

MIN DISTANCE TO COMBUSTIBLES

Side: **100mm** Top: **100mm**

See instruction manual for internal casing distances



BAY BX

This model is SIA Ecodesign Ready (Blu).

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

81%

FLUE OUTLET

Top only **150mm (6")** dia.


MAX LOG LENGTH

463mm (18")

MIN DISTANCE TO COMBUSTIBLES

Side: **150mm** Rear: **270mm**

With insulated flue: Side: **100mm** Rear: **130mm**



		A	B	C	WEIGHT
FREESTANDING		500	688	403	103KG
STORE STAND		1000	688	500	126KG
CENTRE STAND		910	688	403	136KG
BENCH STAND		1000	1300	500	139KG

THE BEMBRIDGE

This model is SIA Ecodesign ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (range **2-5.5kW**)

NET EFFICIENCY

82%

FLUE OUTLET

Top or Rear **125mm (5")** dia


MAX LOG LENGTH

351mm (14")

MIN DISTANCE TO COMBUSTIBLES

Side: **500mm** Rear: **400mm**

With heatshield* - Rear: **175mm**



		A	B	C	WEIGHT
LOW LEGS		560	455	65	80KG
STORE STAND		745	455	250	89KG
HIGH LEGS		765	469	268	83.5KG

COVE 1

A smoke reduction (sr) model is also available that meets Clean Air Act requirements.

RATED OUTPUT

4kW to room (range **2-6kW**)

NET EFFICIENCY

76.5% (Sr 79.3%)

FLUE OUTLET

Top or Rear **125mm (5")** dia


MAX LOG LENGTH

283mm (11")

MIN DISTANCE TO COMBUSTIBLES

Side: **550mm** Rear: **550mm**

With panels / heatshield* - Side: **250mm** Rear: **250mm**



		A	B	C	D	E	WEIGHT
LOW STAND		596	546	103	75	437	89KG
LOW ARCH STAND		596	546	103	75	437	89KG
MIDI STAND		723	673	230	202	564	92KG
STORE STAND		795	745	302	274	636	96KG
CENTRE STAND		795	745	302	274	636	104KG

ISLAND I

This model is SIA Ecodesign ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (range **2-7kW**)

NET EFFICIENCY

85% Wood, 78.8% Solid Fuel

FLUE OUTLET

Top or Rear **125mm (5")** dia


MAX LOG LENGTH

411mm (16")

MIN DISTANCE TO COMBUSTIBLES

Side: **500mm** Rear: **350mm**

With heatshield* - Side: **500mm** Rear: **100mm**



		A	B	C	D	E	WEIGHT
LOW LEGS		611	533	351	85	511	109KG
HIGH LEGS		698	551	329	171	598	110KG
STORE STAND		733	515	300	206	632	117KG

ISLAND II

This model is SIA Ecodesign ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

8kW to room (range **5-11kW**)

NET EFFICIENCY

82% Wood, 79% Solid Fuel

FLUE OUTLET

Top or Rear **150mm (6")** dia


MAX LOG LENGTH

480 mm (19")

MIN DISTANCE TO COMBUSTIBLES

Side: **480mm** Rear: **500mm**

With heatshield* - Side: **480mm** Rear: **170mm**



		A	B	C	D	E	WEIGHT
LOW LEGS		675	602	366	66	560	133KG
HIGH LEGS		760	621	330	151	645	134KG
STORE STAND		795	584	299	186	680	140KG

COVE 2

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

8kW to room (range **3-11kW**)

NET EFFICIENCY

77% (non-Blu 74.7%)

FLUE OUTLET


Top or Rear **150mm (6")** dia

MAX LOG LENGTH

414 mm (16")

MIN DISTANCE TO COMBUSTIBLES

Side: **450mm** Rear: **600mm** With panels / heatshield* - Side: **250mm** Rear: **250mm**



		A	B	C	D	E	WEIGHT
LOW STAND		697	647	103	76	532	127KG
LOW ARCH STAND		697	647	103	76	532	127KG
MIDI STAND		824	774	230	203	659	130KG
STORE STAND		944	894	350	323	779	133KG
CENTRE STAND		944	894	350	323	779	146KG

COVE 3

This model is SIA Ecodesign Ready (Blu)

RATED OUTPUT

12kW to room (range **7-16kW**)

NET EFFICIENCY

80% (non-Blu 78.4%)

FLUE OUTLET


Top or Rear **178mm (7")** dia

MAX LOG LENGTH

481mm (19")

MIN DISTANCE TO COMBUSTIBLES

Side: **500mm** Rear: **600mm** With panels / heatshield* - Side: **250mm** Rear: **250mm**



		A	B	C	D	E	WEIGHT
LOW STAND		1030	980	110	115	844	159KG
LOW ARCH STAND		1030	980	110	115	844	159KG
MIDI STAND		1200	1150	280	285	1014	168KG
STORE STAND		1330	1280	410	415	1144	171KG
CENTRE STAND		1330	1280	410	415	1144	187KG

ISLAND III

This model is SIA Ecodesign Ready (Blu).

RATED OUTPUT

12kW to room (range **8-16kW**)

NET EFFICIENCY

79% (non-Blu 76.4%)

FLUE OUTLET


Top or Rear **178mm (7")** dia

MAX LOG LENGTH

611mm (24")

MIN DISTANCE TO COMBUSTIBLES

Side: **600mm** Rear: **600mm** With panels / heatshield* - Side: **335mm** Rear: **335mm**



		A	B	C	D	E	WEIGHT
LOW LEGS		713	732	400	107	588	180KG
HIGH LEGS		795	750	400	189	670	184KG
STORE STAND		945	714	309	339	820	197KG



Island III in black

C-FOUR

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

4.9kW to room (range **2-5.5kW**)

NET EFFICIENCY

82% (non- **Blu 78.3%**)

FLUE OUTLET

Top or Rear **125mm (5")** dia


MAX LOG LENGTH

282mm (11")

MIN DISTANCE TO COMBUSTIBLES

Side: **600mm** Rear: **700mm**

With heatshield* - Rear: **200mm**



		A	B	C	WEIGHT
LOW LEGS		560	386	45	83KG
STORE STAND		710	386	195	89KG
HIGH LEGS		765	400	248	85.5KG

C-FOUR INSERT

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5.0kW to room (range **2-5.5kW**)

NET EFFICIENCY

80% Wood, **77%** Solid Fuel

FLUE OUTLET

Top **125mm (5")** dia


MAX LOG LENGTH

332mm (13")

MIN DISTANCE TO COMBUSTIBLES

Side: **280mm** Top: **310mm**

See instruction manual for internal casing distances



WEIGHT
100KG

C-SEVEN

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

7.1kW to room (non- **Blu 7.6kW**) (range **6-8kW**)

NET EFFICIENCY

79% (non- **Blu 76.9%**)

FLUE OUTLET

Top or Rear **150mm (6")** dia


MAX LOG LENGTH

430mm (17")

MIN DISTANCE TO COMBUSTIBLES

Side: **500mm** Rear: **500mm**

With heatshield* - Rear: **240mm**



		A	B	C	WEIGHT
LOW LEGS		615	534	59	115KG
STORE STAND		800	534	244	124KG
HIGH LEGS		820	548	269	118.5KG

C-EIGHT

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

8kW to room (non- **Blu 8.3kW**) (range **7-9kW**)

NET EFFICIENCY

81% (non- **Blu 78%**)

FLUE OUTLET

Top or Rear **150mm (6")** dia


MAX LOG LENGTH

366mm (14")

MIN DISTANCE TO COMBUSTIBLES

Side: **600mm** Rear: **650mm**

With heatshield* - Rear: **250mm**




		A	B	C	WEIGHT
LOW LEGS		710	465	61	119KG
STORE STAND		895	470	246	127KG
HIGH LEGS		915	484	268	122.5KG

C-FIVE

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT
5kW to room (range 2-5.5kW)
NET EFFICIENCY
82% (non- Blu 75.7%)
FLUE OUTLET
Top or Rear 125mm (5") dia
MAX LOG LENGTH
351mm (14")
MIN DISTANCE TO COMBUSTIBLES
Side: 500mm Rear: 400mm
With heatshield* - Rear: 175mm




		A	B	C	WEIGHT
LOW LEGS		560	455	65	96KG
STORE STAND		745	455	250	104KG
HIGH LEGS		765	469	268	99.5KG

C-SIX

This model is SIA Ecodesign Ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT
5.9kW to room (non- Blu 6.7kW) (range 5-7kW)
NET EFFICIENCY
82% (non- Blu 81.9%)
FLUE OUTLET
Top or Rear 150mm (6") dia
MAX LOG LENGTH
307mm (12")
MIN DISTANCE TO COMBUSTIBLES
Side: 500mm Rear: 500mm
With heatshield* - Rear: 200mm



		A	B	C	WEIGHT
LOW LEGS		615	411	63	96KG
STORE STAND		800	411	245	105KG
HIGH LEGS		820	425	265	99.5KG



C-Four in gunmetal / Weston Surman & Deane Architecture / ©

COUNTRY 4

This model is SIA Ecodesign ready (Blu) and meets Clean Air Act requirements.

RATED OUTPUT

5kW to room (non-Blu 4.8kW) (range 2-5.5kW)

NET EFFICIENCY

84% (non-Blu 76.9%)

FLUE OUTLET

Top or Rear **125mm (5")** dia.

MAX LOG LENGTH

332mm (13")


WEIGHT

60kg

MIN DISTANCE TO COMBUSTIBLES

Side: **480mm** Rear: **550mm**

With heatshield* - Rear: **150mm**



COUNTRY 8

RATED OUTPUT

8kW to room (range 4-11kW)

Optional boiler **2.9kW**

NET EFFICIENCY

79.8%

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH

380 mm (15")

WEIGHT


105kg

OPTIONAL CANOPY

Overall **H749 W552 D486mm**

MIN DISTANCE TO COMBUSTIBLES

Side: **600mm** Rear: **600mm**



COUNTRY 6

RATED OUTPUT

6kW to room (range 2-8kW)

Optional boiler **2.9kW**

NET EFFICIENCY

80.5%

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH

420 mm (16.5")

WEIGHT


90kg

OPTIONAL CANOPY

Overall **H734 W552 D413mm**

MIN DISTANCE TO COMBUSTIBLES

Side: **550mm** Rear: **550mm**



COUNTRY 12

RATED OUTPUT

12kW to room (range 5-14kW)

Optional boiler **2.9kW**

NET EFFICIENCY

74.1%

FLUE OUTLET

Top or Rear **150mm (6")** dia.

MAX LOG LENGTH

470 mm (18.5")

WEIGHT


121kg

OPTIONAL CANOPY

Overall **H793 W633 D472mm**

MIN DISTANCE TO COMBUSTIBLES

Side: **600mm** Rear: **600mm**




PLEASE NOTE: The stove installations photographed within this brochure are intended as a guide only - Installation must be carried out by a competent engineer in accordance with Building Regulations and local by-laws. Full details are shown in the Installation & Operating Instructions which are available on request. Charnwood's policy is one of continuous development and we reserve the right to change sizes & specifications without notice. All Charnwood stoves have been independently certified to conform to EN 13240:2001 (EN 13229:2001 in the case of the Bay VL and C-Four Insert). All Aire, Skye, Arc, Cove, Island, C-Series, Bembridge and Country 16B stoves meet the UK building requirements for installation with a 12mm non-combustible hearth. * The heatshield minimum distance figure is taken from the back of the stove and based on an appliance fitted with twin wall insulated flue. Full dimensional drawings of the optional canopies and details of other accessories are available on request.

COVE 2B

Stand options available.

RATED OUTPUT *Wood *AnthraciteRoom **4.6kW** (range 2-5kW) / Boiler **6.4kW**Room **7.1kW** (range 2-8kW) / Boiler **9.3kW****HEATING CAPACITY** *Wood *AnthraciteDHW & approx. **5 radiators** / **7 radiators**


Also suitable for underfloor heating

NET EFFICIENCY**74.6% / 76.5%****FLUE OUTLET**Top or Rear **150mm (6")** dia**MAX LOG LENGTH****414mm (16")****WEIGHT****145kg****MIN DISTANCE TO COMBUSTIBLES**Side: **100mm** Rear: **100mm****ISLAND IIIB**


Stand options available.

RATED OUTPUTTo room **9kW** (range 4-9kW)To int. boiler **9kW****HEATING CAPACITY**DHW & approximately **6-9 radiators**


Also suitable for underfloor heating

NET EFFICIENCY**73.3%****FLUE OUTLET**Top or Rear **178mm (7")** dia**MAX LOG LENGTH****614mm (24")****WEIGHT****190kg****MIN DISTANCE TO COMBUSTIBLES**Side: **200mm** Rear: **120mm****COUNTRY 16B WOOD BURNER**Optional Canopy: Overall dims
H928 W633 D472mm**RATED OUTPUT**To room **7.3kW** (range 2-8kW)To int. boiler **8.6kW****HEATING CAPACITY**DHW & approximately **7 radiators**


Also suitable for underfloor heating

NET EFFICIENCY**75%****FLUE OUTLET**Top or Rear **150mm (6")** dia.**MAX LOG LENGTH****400mm (16")****WEIGHT****180kg****MIN DISTANCE TO COMBUSTIBLES**Side: **150mm** Rear: **150mm****COUNTRY 16B****MULTI FUEL**Optional Canopy: Overall dims
H928 W633 D472mm**RATED OUTPUT**To room **6.4kW** (range 2-8kW)To int. boiler **13.2kW****HEATING CAPACITY**DHW & approximately **10 radiators** Also

suitable for underfloor heating

NET EFFICIENCY**74.6%****FLUE OUTLET**Top or Rear **150mm (6")** dia.**MAX LOG LENGTH****400mm (16")****WEIGHT****180kg****MIN DISTANCE TO COMBUSTIBLES**Side: **150mm** Rear: **150mm****SLX 20i****RATED OUTPUT** *Wood *Solid fuelTo room **5.8kW** (range 4-7kW) **6.3kW**To optional boiler **2.3kW****NET EFFICIENCY****75.7% 72.1%****FLUE OUTLET****150mm (6")** dia. • 150° elbow required**MAX LOG LENGTH****280mm (11")****WEIGHT****125kg****THERMOSTAT**


Body temperature sensing

MIN DISTANCE TO COMBUSTIBLESSide: **100mm** Top / Rear: **300mm**

For an optional boiler 2x1" BSP male connections may be fitted either left or right. Max working head 15.2m (50ft)

SLX 20fs**RATED OUTPUT** *Wood *Solid fuelTo room **5.8kW** (range 4-7kW) **6.3kW**To optional boiler **2.3kW****NET EFFICIENCY****75.7% 72.1%****FLUE OUTLET****150mm (6")** dia.**MAX LOG LENGTH****280mm (11")****WEIGHT****130kg****THERMOSTAT**

Body temperature sensing

MIN DISTANCE TO COMBUSTIBLESSide: **250mm** Rear: **700mm**


For an optional boiler 2x1" BSP male connections may be fitted either left or right. Max working head 15.2m (50ft)

SLX 45i**RATED OUTPUT** *Wood *Solid fuelTo room **6.0kW** (range 4-7kW) **4.6kW**To water **6.3kW** (range 4-7kW) **9.7kW****HEATING CAPACITY**DHW & approximately **8-9 radiators**

Also suitable for underfloor heating

NET EFFICIENCY**75.5% 70.6%****FLUE OUTLET****150mm (6")** dia.**MAX LOG LENGTH****370mm (14.5")****THERMOSTAT**


Boiler temperature sensing

MIN DISTANCE TO COMBUSTIBLESSide: **50mm** Top / Rear: **200mm****SLX 45fs****RATED OUTPUT** *Wood *Solid fuelTo room **6.0kW** (range 4-7kW) **4.6kW**To water **6.3kW** (range 4-7kW) **9.7kW****HEATING CAPACITY**DHW & approximately **8-9 radiators**

Also suitable for underfloor heating

NET EFFICIENCY**75.5% 70.6%****FLUE OUTLET****150mm (6")** dia.**MAX LOG LENGTH****370mm (14.5")****THERMOSTAT**

Boiler temperature sensing

MIN DISTANCE TO COMBUSTIBLESSide: **200mm** Rear: **300mm**



OTHER PRODUCTS

VLAZE, BODJ, ANKI

vitreous enamel, fair trade fireside & pumice chimney systems







Luxurious vitreous enamel for the fireplace

VLAZE offer a range of vitreous enamel wall cladding and hearth plates designed specifically for the fireplace. British made by our sister company AJ Wells, the exceptional surface finish is created by fusing powdered glass to steel at temperatures in excess of 800°C. The result is a luxurious, vibrant glaze that boasts excellent thermal properties, does not crack, distort or discolour when exposed to the heat of the stove and wipes clean. The VLAZE process and finish is identical to that of which AJ Wells use to manufacture the iconic signage and architectural cladding for London Underground.

VLAZE WALL MOUNTED HEAT SHIELDS are designed to be placed behind the stove. When installed the shield reduces the stoves distance to the face of the panel to 95mm (and just 75mm in the case of a Charnwood stove). The vitreous enamel panel features a dual skin that provides thermal protection and an effective convection system. Using a rail mounted system they are quick and easy to install. The heat shields are available in 3 sizes to suit all our freestanding stove models.

VLAZE INSERT STOVE SURROUNDS are custom made in one piece to fit around any insert stove. The vitreous enamel panel features a soft radius edge and is insulated with fire rated fibreboard.

VLAZE HEARTH & CHAMBER PLATES create a clean, modern platform on which to stand your stove. An excellent alternative to glass or polished stone they can be used on their own or alongside our heat shields



and insert surrounds for a seamless floor to wall solution. They can also be mounted to the wall behind the stove to line a fireplace chamber. Each hearth features a smooth radius edge and is insulated with fire rated fibreboard to take the heat and weight of the stove while still being light to handle. The plates are available in 5 sizes to suit most stoves and boast a 12mm depth conforming to UK building regulations for non constructional hearths.

The heat shields, insert surrounds and hearth & chamber plates are available in a choice of eleven colours including our standard Black, All White and Basalt. There is also a choice of overlay patterns, textures, designer prints and customisable photographic transfers.

VLAZE also produce vitreous enamel worktops and splashbacks for kitchens and range cookers and a range of bathroom and wetroom panels. Visit www.vlaze.co for specifications and further details of the full range.

bodj

FAIR TRADE FIRESIDE

Bodj is a fair trade programme exclusive to Charnwood stoves. The initiative sells a selection of fireside accessories manufactured by a number of small developing businesses in Cambodia, South East Asia. We currently work alongside and support three projects each producing unique products using traditional techniques and from ecologically and locally sourced materials. Our aim is to make a difference to these communities: to actively encourage and celebrate their cultural skills whilst ensuring fair wages and responsible trading practices.



bodj n. taken from the French name for Cambodia: 'Cambodge'



BASKETWARE PROJECT

The Bodj basketware initiative supports a number of basket weaving projects on the outskirts of Phnom Penh and in the Cambodian province of Kratie. A mixture of indigenous materials are used from bamboo and rattan to rush and water hyacinth. Age old weaving techniques are used to create a variety of traditional and adapted designs including log baskets and brushes.

IRONWORK PROJECT

Bodj ironwork products are made by an ironworking initiative based in Phnom Penh. The project trains up a number of young people from disadvantaged backgrounds. Traditional skills are mixed with Khmer inspired designs to create a variety of log holders and companion sets.

RECYCLING PROJECT

The Bodj recycled products are produced by a project based in the Kompong Thom province of Cambodia. Colourful rice sacks are recycled into unstructured log and kindling buckets.

All the Bodj projects are kept deliberately small-scale with working practices within the communities carefully monitored so as not to disturb the eco-system in which the craftsmen and women live. The production processes of many of the products are also dictated by monsoons therefore availability is sometimes limited. For more information on the full range of products and projects speak to your local stockist or visit the website www.bodj.co.uk

A good chimney makes the world of difference to the efficiency of your fire or stove and is indeed paramount to the safety of your home. Whether you are embarking on a new build project, wishing to add a chimney to an existing property or simply want to re-line an existing chimney, ANKI Chimneys have a system to suit virtually all applications. It is the simplest and most cost effective way of building a chimney.


Made from Icelandic volcanic rock ANKI chimney is a product with exceptional insulation and longevity and one that is suitable for all fuel types and guarantees:

- *Minimum heat loss, maximum efficiency*
- *Improved performance for your appliance*
- *Ideal for timber framed & thatched homes*
- *Better chimney draught*
- *Less soot & tar build-up*
- *Chimney fire safe*

For further information ask for our separate ANKI brochure or visit www.anki.co.uk

SINGLE MODULE

ANKI single module blocks are a quick, simple and cost effective way to incorporate a first class chimney into a property. This space saving block is ideal for new build projects (especially timber framed properties) or new chimneys to existing properties. The single module consists of a chimney block with an integral liner.



ROUND LINER

ANKI round liner is ideal for the re-lining of existing chimneys. It effectively renews the chimney completely from top to bottom, sealing off any cracking and leakage in the chimney stack and improving the overall stability of the chimney. Anki round liners are available in a wide range of sizes.



charnwood LIVE FIRE



Charnwood Live Fire is an augmented reality platform that allows you to place a stove in your living room and walk around it to see how it fits into the style of your interior.

Sometimes it's hard to visualise what a stove would look like in your own home. Our new Live Fire app is a simple solution to this problem. Just place the *tag* (pictured opposite) in the space where you would like to install the stove, frame it with your smartphone or tablet and then select your stove. Your chosen Charnwood will then appear before you on the screen – fired up and to scale.


Experiment with different colour and stand options and then walk around your chosen stove so you can see it from different angles. You can even take screen shots to email or share online.

The *Charnwood Live Fire* app is free to download and available now from both Apple and Android stores.



Grateful thanks to all who have contributed to this brochure • God, Vivat Trust, Appuldurcombe House, The Pig at Bridge Place, Ventnor Botanic Garden, Layla Faye, Paper Mill Studios, Eldvarm, tinyhomesholidays.com, Thompson's Nurseries, Bayliss & Booth, Marie, Lincoln & Lisa, Mini Moderns, Margie, Steve Thearle, Niton Methodist Church, Pheobe, Rona, Cambodian crew, Dairy Cottage, Tanya Goodwin, Weston Surman & Deane Architecture, Sam Twining, Wai Ming Ng, Crane Cookware Chloe, Sarita & Dominic Blackmore, Gillie & Nigel, Holly Joliffe, Jess Holder, Ridge House, Jo Samways, Jimmy Mower, Lizzie Orme, beachstudios.co.uk, Chris Jackson, Moor Farm, Country Living Magazine, vintagevacations.co.uk • Art direction & design by Charnwood. Charnwood is a division of A.J Wells & Sons Ltd. registered in England no.03809371

Vous pouvez consulter la méthode de téléchargement de CHARNWOOD LIVE FIRE en visitant notre site www.charnwood.fr. Puis, scannez cette page avec votre téléphone ou tablette pour visualiser les poêles et appareils en 3D en réalité augmentée.



Visit www.charnwood.com for instructions on how to download CHARNWOOD LIVE FIRE. Then scan this page with your device to view 3D stoves in augmented reality.

CHARNWOOD
LIVE FIRE

